

You are here: [Home](#) > [Projects](#) > [SSL Server Test](#) > mail.anyhost.ch

SSL Report: mail.anyhost.ch (185.20.144.39)

Assessed on: Thu, 15 Nov 2018 17:57:36 UTC | [Hide](#) | [Clear cache](#)

[Scan Another »](#)

Summary

Overall Rating

A

Certificate

Protocol Support

Key Exchange

Cipher Strength

0 20 40 60 80 100

Visit our [documentation page](#) for more information, configuration guides, and books. Known issues are documented [here](#).

Certificate #1: RSA 2048 bits (SHA256withRSA)



Server Key and Certificate #1

Subject	mail9.anymails.ch Fingerprint SHA256: f6f60b462a20193b836ff23cdded6bd0fecdd680b0dee2774c5dc6012d6b4d920b Pin SHA256: H0N7Yp79yUIQNqC4DT0PrexAi6c5+dRZOvJRqx9dEE=
Common names	mail9.anymails.ch
Alternative names	mail.anyhost.ch mail.teda-immo.ch mail.teda.ch mail.troppus.ch mail9.anymails.ch
Serial Number	03c474428a3704160040e20be6b68a73115d
Valid from	Wed, 07 Nov 2018 10:58:23 UTC
Valid until	Tue, 05 Feb 2019 10:58:23 UTC (expires in 2 months and 20 days)
Key	RSA 2048 bits (e 65537)
Weak key (Debian)	No
Issuer	Let's Encrypt Authority X3 AIA: http://cert.int-x3.letsencrypt.org/
Signature algorithm	SHA256withRSA
Extended Validation	No
Certificate Transparency	Yes (certificate)
OCSP Must Staple	No
Revocation information	OCSP OCSP: http://ocsp.int-x3.letsencrypt.org
Revocation status	Good (not revoked)
DNS CAA	No (more info)
Trusted	Yes Mozilla Apple Android Java Windows



Additional Certificates (if supplied)

Certificates provided	3 (3641 bytes)
Chain issues	Incorrect order, Contains anchor
#2	
Subject	DST Root CA X3 In trust store Fingerprint SHA256: 0687260331a72403d909f105e69bcf0d32e1bd2493ffc6d9206d11bcd6770739 Pin SHA256: Vjs8r4z+80wjNcr1YKepWQboSRI63WsWXhIMN+eWys=
Valid until	Thu, 30 Sep 2021 14:01:15 UTC (expires in 2 years and 10 months)
Key	RSA 2048 bits (e 65537)
Issuer	DST Root CA X3 Self-signed
Signature algorithm	SHA1withRSA Weak, but no impact on root certificate

Additional Certificates (if supplied)

#3

Subject	Let's Encrypt Authority X3 Fingerprint SHA256: 25847d668eb4f04fd40b12b6b0740c567da7d024308eb6c2c96fe41d9de218d Pin SHA256: YLh1dUR9y6Kja30RrAn7JKnbQG/uEiLMkBgFF2Fuihg=
Valid until	Wed, 17 Mar 2021 16:40:46 UTC (expires in 2 years and 4 months)
Key	RSA 2048 bits (e 65537)
Issuer	DST Root CA X3
Signature algorithm	SHA256withRSA



Certification Paths



[Click here to expand](#)

Configuration



Protocols

TLS 1.3	No
TLS 1.2	Yes
TLS 1.1	Yes
TLS 1.0	Yes
SSL 3	No
SSL 2	No

For TLS 1.3 tests, we only support RFC 8446.



Cipher Suites

TLS 1.2 (suites in server-preferred order)



TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 (0xc02f)	ECDH secp256r1 (eq. 3072 bits RSA) FS	128
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 (0xc030)	ECDH secp256r1 (eq. 3072 bits RSA) FS	256
TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 (0xc02e)	DH 2048 bits FS	128
TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 (0xc02f)	DH 2048 bits FS	256
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 (0xc027)	ECDH secp256r1 (eq. 3072 bits RSA) FS	128
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA (0xc013)	ECDH secp256r1 (eq. 3072 bits RSA) FS	128
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 (0xc028)	ECDH secp256r1 (eq. 3072 bits RSA) FS	256
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA (0xc014)	ECDH secp256r1 (eq. 3072 bits RSA) FS	256
TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 (0xc017)	DH 2048 bits FS	128
TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0xc013)	DH 2048 bits FS	128
TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 (0xc01b)	DH 2048 bits FS	256
TLS_DHE_RSA_WITH_AES_256_CBC_SHA (0xc019)	DH 2048 bits FS	256
TLS_RSA_WITH_AES_128_GCM_SHA256 (0xc09c)	WEAK	128
TLS_RSA_WITH_AES_256_GCM_SHA384 (0xc09d)	WEAK	256
TLS_RSA_WITH_AES_128_CBC_SHA256 (0xc03c)	WEAK	128
TLS_RSA_WITH_AES_128_CBC_SHA (0xc02f)	WEAK	128
TLS_RSA_WITH_AES_256_CBC_SHA256 (0xc03d)	WEAK	256
TLS_RSA_WITH_AES_256_CBC_SHA (0xc035)	WEAK	256
TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA (0xc088)	DH 2048 bits FS	256
TLS_RSA_WITH_CAMELLIA_256_CBC_SHA (0xc084)	WEAK	256
TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA (0xc045)	DH 2048 bits FS	128
TLS_RSA_WITH_CAMELLIA_128_CBC_SHA (0xc041)	WEAK	128

TLS 1.1 (suites in server-preferred order)



TLS 1.0 (suites in server-preferred order)



Handshake Simulation

Android 2.3.7 No SNI²

RSA 2048 (SHA256)

TLS 1.0

TLS_DHE_RSA_WITH_AES_128_CBC_SHA DH 2048 FS

Handshake Simulation

Android 4.0.4	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA	ECDH secp256r1 FS
Android 4.1.1	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA	ECDH secp256r1 FS
Android 4.2.2	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA	ECDH secp256r1 FS
Android 4.3	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA	ECDH secp256r1 FS
Android 4.4.2	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Android 5.0.0	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Android 6.0	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Android 7.0	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Baidu Jan 2015	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA	ECDH secp256r1 FS
BingPreview Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Chrome 49 / XP SP3	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Chrome 69 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Chrome 70 / Win 10	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Firefox 31.3.0 ESR / Win 7	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Firefox 47 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Firefox 49 / XP SP3	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Firefox 62 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Googlebot Feb 2018	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
IE 7 / Vista	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA	ECDH secp256r1 FS
IE 8 / XP No FS ¹ No SNI ²	Server sent fatal alert: handshake_failure			
IE 8-10 / Win 7 R	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA	ECDH secp256r1 FS
IE 11 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2	TLS_DHE_RSA_WITH_AES_128_GCM_SHA256	DH 2048 FS
IE 11 / Win 8.1 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_DHE_RSA_WITH_AES_128_GCM_SHA256	DH 2048 FS
IE 10 / Win Phone 8.0	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA	ECDH secp256r1 FS
IE 11 / Win Phone 8.1 Update R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_DHE_RSA_WITH_AES_128_GCM_SHA256	DH 2048 FS
IE 11 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Edge 15 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Edge 13 / Win Phone 10 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Java 6u45 No SNI ²	Client does not support DH parameters > 1024 bits			
	RSA 2048 (SHA256)	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA	DH 2048
Java 7u25	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA	ECDH secp256r1 FS
Java 8u161	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
OpenSSL 0.9.8y	RSA 2048 (SHA256)	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA	DH 2048 FS
OpenSSL 1.0.1l R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
OpenSSL 1.0.2e R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Safari 5.1.9 / OS X 10.6.8	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA	ECDH secp256r1 FS
Safari 6 / iOS 6.0.1	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256	ECDH secp256r1 FS
Safari 6.0.4 / OS X 10.8.4 R	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA	ECDH secp256r1 FS
Safari 7 / iOS 7.1 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256	ECDH secp256r1 FS
Safari 7 / OS X 10.9 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256	ECDH secp256r1 FS
Safari 8 / iOS 8.4 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256	ECDH secp256r1 FS
Safari 8 / OS X 10.10 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256	ECDH secp256r1 FS
Safari 9 / iOS 9 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Safari 9 / OS X 10.11 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Safari 10 / iOS 10 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Safari 10 / OS X 10.12 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Apple ATS 9 / iOS 9 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Yahoo Slurp Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
YandexBot Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS

Not simulated clients (Protocol mismatch)

[IE 6 / XP](#) No FS¹ No SNI² Protocol mismatch (not simulated)

- (1) Clients that do not support Forward Secrecy (FS) are excluded when determining support for it.
 - (2) No support for virtual SSL hosting (SNI). Connects to the default site if the server uses SNI.
 - (3) Only first connection attempt simulated. Browsers sometimes retry with a lower protocol version.
 - (R) Denotes a reference browser or client, with which we expect better effective security.
 - (All) We use defaults, but some platforms do not use their best protocols and features (e.g., Java 6 & 7, older IE).
- (All) Certificate trust is not checked in handshake simulation, we only perform TLS handshake.**



Protocol Details

	No, server keys and hostname not seen elsewhere with SSLv2
DROWN	(1) For a better understanding of this test, please read this longer explanation (2) Key usage data kindly provided by the Censys network search engine; original DROWN website here (3) Censys data is only indicative of possible key and certificate reuse; possibly out-of-date and not complete
Secure Renegotiation	Supported
Secure Client-Initiated Renegotiation	No
Insecure Client-Initiated Renegotiation	No
BEAST attack	Not mitigated server-side (more info) TLS 1.0: 0xc013
POODLE (SSLv3)	No, SSL 3 not supported (more info)
POODLE (TLS)	No (more info)
Downgrade attack prevention	Yes, TLS_FALLBACK_SCSV supported (more info)
SSL/TLS compression	No
RC4	No
Heartbeat (extension)	No
Heartbleed (vulnerability)	No (more info)
Ticketbleed (vulnerability)	No (more info)
OpenSSL CCS vuln. (CVE-2014-0224)	No (more info)
OpenSSL Padding Oracle vuln. (CVE-2016-2107)	No (more info)
ROBOT (vulnerability)	No (more info)
Forward Secrecy	Yes (with most browsers) ROBUST (more info)
ALPN	Yes http/1.1
NPN	Yes http/1.1
Session resumption (caching)	Yes
Session resumption (tickets)	Yes
OCSP stapling	No
Strict Transport Security (HSTS)	No
HSTS Preloading	Not in: Chrome Edge Firefox IE
Public Key Pinning (HPKP)	No (more info)
Public Key Pinning Report-Only	No
Public Key Pinning (Static)	No (more info)
Long handshake intolerance	No
TLS extension intolerance	No
TLS version intolerance	No
Incorrect SNI alerts	No
Uses common DH primes	No
DH public server param (Ys) reuse	No
ECDH public server param reuse	No
Supported Named Groups	secp256r1
SSL 2 handshake compatibility	Yes



HTTP Requests



1 <https://mail.anyhost.ch/> (HTTP/1.1 200 OK)



Miscellaneous

Test date	Thu, 15 Nov 2018 17:54:56 UTC
Test duration	160.50 seconds
HTTP status code	200
HTTP server signature	nginx
Server hostname	mail9.anymails.ch

